

PATENT COOPERATION TREATY

PCT

INTERNATIONAL PRELIMINARY EXAMINATION REPORT


(PCT Article 36 and Rule 70)

REC'D 12 AUG 2003

WFO PCT

1 OCT 2004

Applicant's or agent's file reference 11111103	FOR FURTHER ACTION See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416)	
International application No. PCT/US02/13071	International filing date (day/month/year) 30 April 2002 (30.04.2002)	Priority date (day/month/year)
International Patent Classification (IPC) or national classification and IPC IPC(7): A63F 3/00 and US Cl.: 273/236		
Applicant BLAKE, RUSSELL		
<p>1. This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36.</p> <p>2. This REPORT consists of a total of <u>3</u> sheets, including this cover sheet.</p> <p><input checked="" type="checkbox"/> This report is also accompanied by ANNEXES, i.e., sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT).</p> <p>These annexes consist of a total of <u>18</u> sheets.</p>		
<p>3. This report contains indications relating to the following items:</p> <ul style="list-style-type: none"> I <input checked="" type="checkbox"/> Basis of the report II <input type="checkbox"/> Priority III <input type="checkbox"/> Non-establishment of report with regard to novelty, inventive step and industrial applicability IV <input type="checkbox"/> Lack of unity of invention V <input checked="" type="checkbox"/> Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement VI <input type="checkbox"/> Certain documents cited VII <input type="checkbox"/> Certain defects in the international application VIII <input type="checkbox"/> Certain observations on the international application 		
Date of submission of the demand 19 February 2003 (19.02.2003)	Date of completion of this report 02 June 2003 (02.06.2003)	
Name and mailing address of the IPEA/US Mail Stop PCT, Attn: IPEA/US Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450 Facsimile No. (703)305-3230	Authorized officer Kurt Fernstrom Telephone No. (703) 305-0303	


 Sheila H. Venev
 Paralegal Specialist
 Tech. Center 3700

BEST AVAILABLE COPY

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/US02/13071

I. Basis of the report

1. With regard to the elements of the international application:*

☐

the international application as originally filed.

☒

the description:

pages 2-11 as originally filedpages 1 AND 12-25, filed with the demandpages NONE, filed with the letter of _____.☒

the claims:

pages NONE, as originally filedpages NONE, as amended (together with any statement) under Article 19pages 26-28, filed with the demandpages NONE, filed with the letter of _____.☒

the drawings:

pages 1-24, as originally filedpages NONE, filed with the demandpages NONE, filed with the letter of _____.☐

the sequence listing part of the description:

pages NONE, as originally filedpages NONE, filed with the demandpages NONE, filed with the letter of _____.

2. With regard to the language, all the elements marked above were available or furnished to this Authority in the language in which the international application was filed, unless otherwise indicated under this item.

These elements were available or furnished to this Authority in the following language _____ which is:

☐

the language of a translation furnished for the purposes of international search (under Rule 23.1(b)).

☐

the language of publication of the international application (under Rule 48.3(b)).

☐

the language of the translation furnished for the purposes of international preliminary examination (under Rules 55.2 and/or 55.3).

3. With regard to any nucleotide and/or amino acid sequence disclosed in the international application, the international preliminary examination was carried out on the basis of the sequence listing:

☐

contained in the international application in printed form.

☐

filed together with the international application in computer readable form.

☐

furnished subsequently to this Authority in written form.

☐

furnished subsequently to this Authority in computer readable form.

☐

The statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.

☐

The statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished.

4. ☐ The amendments have resulted in the cancellation of:☐the description, pages NONE☐the claims, Nos. NONE☐the drawings, sheets/fig NONE5. ☐ This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).**

* Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17).

** Any replacement sheet containing such amendments must be referred to under item 1 and annexed to this report.

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.
PCT/US02/130

V. Reasoned statement under Rule 66.2(a)(ii) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. STATEMENT

Novelty (N)	Claims <u>1-20</u>	YES
	Claims <u>NONE</u>	NO
Inventive Step (IS)	Claims <u>1-20</u>	YES
	Claims <u>NONE</u>	NO
Industrial Applicability (IA)	Claims <u>1-20</u>	YES
	Claims <u>NONE</u>	NO

2. CITATIONS AND EXPLANATIONS

Claims 1-20 meet the criteria set out in PCT Article 33(4), and thus have industrial applicability because the subject matter claimed can be made or used in industry.

Claims 1-20 meet the criteria set out in PCT Article 33(2)-(3), because the prior art does not teach or fairly suggest a device having all of the limitations of claim 1. In particular, the prior art does not disclose or suggest that the four or more series on each piece are grouped into series pairs, where the numbers on each pair add up to nine, except for a piece where all numbers are nine.

----- NEW CITATIONS -----

PCT/US02/13071 9022003
IPENUS 19 FEB 2003

100. Description

1000. Title of Invention

1010. The title of this invention is: "Board Game With Multi-Functional Pieces".

1020. The inventors of this invention are:

Russell P. Blake, U.S. Citizen, residing in Australia at
Mount Pleasant, Queensland
AUSTRALIA

Karla M. Blake, U.S. Citizen, residing in Australia at
Mount Pleasant, Queensland
AUSTRALIA

2000. Cross Reference to Related Applications

2001. NOT APPLICABLE

3000. Statement Regarding Federally Sponsored Research or Development

3001. NOT APPLICABLE

4000. Reference to Sequence Listing, a Table, or a Computer Program Listing Compact Disk Appendix

4001. NOT APPLICABLE

5000. Technical Field

5020. This invention is in the field of table and board games, specifically a board game both entertaining and educational. In simplified forms the present invention can be used to help young children master counting skills. The fully implemented game provides an engrossing pastime of intellectual skill.

5500. Background Art

5520. Although unlike any previous game in the prior art, this game is most closely preceded by board games used to teach mathematical concepts. These include for example 6,089,871 to Jaffe and 5,893,718 to O'Donnell, and their references.

IPEA/US 19 FEB 2003
PCT/US02/13071 9022003

breaks ties. After these tiles are returned face down and scrambled, the player going last turns a tile over to start the game.

b. Each player gets twelve tiles but may see only four, the other eight tiles remaining face down. Players keep their tiles hidden from each other. Tiles not chosen by any player are called the "rainbow gathering" and also remain face down.

c. A move is made by placing a tile in series, observing the Direction Invariant, next to the side of a tile already on the board, according to the pattern laid out in Fig. 7. In particular, care must be taken to prevent placing vertices of like patterned or colored quadrants next to each other in the same row or column, so that the colors alternate.

d. If a player cannot place a tile, they take a tile from the rainbow gathering as long as it is not empty, to be played in their next turn. If the rainbow gathering has been exhausted, they may take a tile to be played in their next turn from the face down tiles they received at the start of the game.

e. When a player has used all four tiles turned up initially, four more tiles are turned up from the set of twelve tiles received initially; this is repeated a third time to complete the game.

f. The first player properly to place all twelve tiles received at the start of the game wins. In a solitaire game, the goal is to run out placing the fewest tiles.

8032. This alternative embodiment meets a number of objectives for the present invention. However, the setup process of turning all the pieces over to start the game is somewhat time-consuming; as is the process for selecting the first player to move; such annoying features are a barrier to play. This embodiment still has a relatively limited number of players, who must wait while each other take turns. It is not straightforward to join a game in progress fairly. There is no board that can be moved and stored between games, and there is no board that can itself be used as playing pieces on a larger game board. In addition the requirement, mentioned in rule c. above, that players must manually alternate the color of any touching vertices renders the rules unnecessarily complex; it would be preferable if only the Direction Invariant need be observed to place a tile. Thus this alternative embodiment, while providing an entertaining and educational game attaining several of the objectives of the present invention, does not meet all the objectives desired.

8033. The same game can be implemented using hexagonal playing pieces instead of the square playing pieces of Fig. 1. The front surface of each hexagonal playing piece is

divided into six isosceles triangles. As before any indicia of series elements could be used, such the digits of Figs. 3 – 5, or the patterns of small triangles shown in Figs. 6 – 7, as could any indicia chosen by one skilled in the art, such as those in Fig 15A. Its hexagonal shape permits each playing piece to simultaneously be a member of six series, instead of merely the four series shown with square playing pieces in Fig. 7.

8034. Because of its additional complexity the game implemented with hexagonal playing pieces would be somewhat more challenging than the same game implemented with square pieces. Yet the game implemented with hexagonal playing pieces retains all the disadvantages of the same game implemented with square playing pieces, and adds two more. The requirement to alternate not just one but two sets of side patterns when placing a piece in series adds significant complication to the rules, their explication, and their comprehension. Because it possesses 36 instead of 18 distinct tile front surface patterns, it would be somewhat more expensive to manufacture. Therefore this alternative embodiment, while providing an entertaining and educational game attaining several of the objectives of the present invention, does not meet all the objectives desired.

8500. Description of the Preferred Embodiment

8520. To achieve these goals in the preferred embodiment, tile front surfaces 101 must be marked as shown in Fig. 2B. Pursuing this design of the present invention, the series for a single quadrant of the tile is shown in Fig. 8, with the other quadrants being left blank to simplify the illustration. In Fig. 8 the series denoted by the lateral markings is shown as starting in 801 with the element number “1” indicating it is the “first” element in its series. Similarly the next tile in the series 802 contains element number “2”, and 803 contains the element “3”. After tile 804 containing element “9” follows tile 805 containing element “1” just as in tile 801. It is thereby illustrated that the series is continued after element “9” by starting again with element “1”, to be thence followed by “2”, “3”, and so on. This property is held by every series used in the present invention. It is also thereby evident that prior to and to the upper left of the tile 801 there could be a tile with the element “9”, preceded to its upper left by a tile with element “8”, and so on. The notion of tile 801 being “first” in the series is therefore nominal, as the series extends potentially infinitely in both directions.

8521. In the series of Fig. 8 it is also evident that this series could be reversed, in the sense that tile 802 could have been labeled with the element “9”, so tile 803 would have contained the element “8”, and so on. While this version is possible and the present

invention would not much be encumbered by this choice, the preferred embodiment is illustrated in Fig. 8, namely, that upon leaving one tile in such direction so as to cross over the opposite corner of the same tile, the next tile in the series holds an increase in the element number, with the understanding that an "increase" over element "9" is element "1" as in the transition from tile 804 to tile 805. Conversely when leaving one tile directly so as not to cross over the opposite corner in reaching the next tile, the next tile will contain a decrease in the element number, with the understanding that a "decrease" from element "1" is element "9". As above we shall continue hereinafter to refer to this property as the "Direction Invariant".

8522. Fig. 9 illustrates how a second series runs in the opposite direction from the first series that was shown in Fig. 8. This second series can be thought to start on tile 901 where element "1" is imprinted on the quadrant marked by vertical lines. The next tile 902 in this second series is marked with element "2" in the quadrant marked with vertical lines. The sum of the elements modulus 9 in these opposing series is 0. This attribute—that the opposing quadrants' sum modulus 9 equals 0—is a property of every tile in the present invention. For the tiles containing the element "9" itself, all quadrants contain the element "9", as shown for the two quadrants illustrated on tile 904; the sum of the elements of the opposing quadrants is 9 plus 9 equals 18, and 18 modulus 9 is 0. Fig. 9 illustrates that both series observe the Direction Invariant described above. Additionally tile 904 illustrates how the element "9" on the quadrant marked with vertical lines precedes the "1" on the similarly marked quadrant on tile 901, while element "8" marked on tile 905 precedes the "9" of the similarly marked quadrant of tile 904, further illustrating how both series extend potentially infinitely in both directions.

8523. Fig. 10 illustrates how a single tile is a participant in four separate series. The first two series are those from Fig. 9 as indicated by tile 903. Tile 1001 is shown to participate not only in those first two series from Fig. 9, but also in two new series crossing at right angles to those first two series. Tile 1001 has all four quadrants marked to identify the four series of which it is a member. The vertical and lateral lines of tile 1001 mark two quadrants as in Fig. 9 tile 906. The quadrant marked with boxes and the quadrant marked with dots indicate membership in the two new series that extend at right angles from the first two series. Any two elements which total 9 could have been placed in the two newly marked quadrants; in the preferred embodiment the lateral line "5" tile always has an "8" element for the quadrant marked with boxes. This yields a board design with the smallest possible

Minimal Spanning Set and a macroscopic "9" tile in the center, which become more evidently desirable hereinafter. To the upper right of tile 1001 is tile 1002 containing those elements necessitated by the Direction Invariant previously described. Similarly tile 1003 to the lower left of tile 1001 is also as prescribed by the Direction Invariant. As in Figs. 8 and 9 the tiles 1004 and 1005 are not necessarily terminal tiles; the two new series extend potentially infinitely in both directions.

8524. The placement of a single tile on the board such as tile 1001 determines the placement of all diagonally adjacent tiles in the plane, as illustrated in the partial plane in Fig. 11. The design of requiring each tile to participate as an element in each of four series fixes the elements and positions of all the tiles that are adjacent by corners to the tile 1001, and by induction to any of the tiles shown. Theoretically this plane extends potentially infinitely in all directions, so that tile 1005 in Fig. 11 is not the end of the plane but is followed at each corner by a tile as prescribed by the Direction Invariant, but which tiles cannot be shown in Fig. 11 only due to limitations of space.

8525. Fig. 12 illustrates a similar partial plane that will be found to follow the same pattern of tiles as in Fig. 11, except that the positions of the laterally and vertically marked quadrants have been interchanged, as have the positions of the quadrants marked with boxes and the quadrants marked with dots. As in Fig. 11, the placement of any one of the tiles in Fig. 12 determines the placement of each of the other tiles in the infinite plane. When the tiles of Fig. 12 are placed in the spaces between the tiles in Fig. 11, so that the tile 1201 is placed into the space to the right of the tile 1101, the result is the pattern of tiles shown in Fig. 13. While any of the tiles of Fig. 12 could have been placed to the right of tile 1101, the preferred embodiment is given by the selection of tile 1201 with the result shown in Fig. 13. The pattern shown in Fig. 13 is the preferred embodiment because it yields, with some further refinements discussed hereinafter, a board design with a macroscopic "9" tile in the center, with the surrounding eight tiles each unique. Only a few other patterns of tiles yield this result, namely, the mirror images of the pattern illustrated in Fig. 13, which are alternative layouts that could equally be chosen by someone skilled in the art, which designs are hereby incorporated herewith.

8526. The tiles used to create the pattern in Fig. 13 have the disadvantage that digits from "1" to "9" are used to indicate the series elements. This creates a problem in that rotating a tile about its midpoint—where the lines separating the quadrants cross—so that it rests upside down results in the numbers being upside down, and consequently less legible

IPEA/US 19 FEB 2003
PCT/US02/13071

than those which are left right side up. This rotation of tiles can be avoided by doubling the number of tiles in the Minimal Spanning Set, so that each tile has an inverse tile with the patterns or colors inverted, and the numbers right side up, but this results in twice as many tiles to manufacture. Even if no rotation were contemplated, certainly some advantage would accrue to the players who were positioned so that the numbers appeared right side up as they gazed at the board. Adopting element number indicia that can be inverted without compromising their legibility can solve this problem. Fig. 14 illustrates the use of indicia similar to the markings used on playing cards. Tile 1401 has only one quadrant shown with the others blanked out for clarity. The upper left quadrant in tile 1401 is divided into 9 squares, and the center square is marked with the vertical line pattern denoting the "first" element of the series. Similarly tile 1402 has two small squares marked with vertical lines, indicating that it is the second element in the series identified by the vertical lines. Tile 1403 is likewise the third tile in that series, and so on descending to the right. Furthermore in an alternative embodiment, whenever indicia are employed that are formed from multiple elements such as the small squares in Fig. 14, the indicia would be comprised of separate components that would be assembled to form a quadrant during game play.

8527. Fig. 15B illustrates tile 1202 using different methods for numbering elements of the series. In quadrants 1512 and 1513, the appropriate number of schematics of children's toys, arranged in the playing card pattern of Fig. 14, are used to represent the element numbers "7" and "2", respectively of tile 1202. In this example the schematic of the toy used identifies the series in which the quadrant is a member. In quadrants 1511 and 1514 geometric shapes, arranged in the playing card pattern illustrated in Fig. 14, are used to represent the element numbers "5" and "4", respectively. In these two quadrants the pattern within the shape, as well as the shape itself, both identify the series of which the quadrant is a member. When these indicia are embossed on the tile front surface, then the present invention is immediately accessible to blind people. In a game manufactured for the blind, it is necessary to choose symbols such as those in 1514, which have no intrinsic orientation, as the other three symbols in Fig. 15B do have. This is because any intrinsic orientation of the symbol used to represent the series would provide an extra clue as to the placement of the tile, which will become more apparent as the design of the present invention is further elucidated hereinafter. Symbols used in an implementation for suitable for blind players would be circle, square, hexagon, and octagon. From these examples it can be seen that any geometric, symbolic, or illustrative shape can be used for numbering elements and

PCT/US02/13071.1 022003

identifying series, and such representations as would be employed by someone skilled in the art are hereby incorporated herewith.

8528. Fig. 16 introduces a new method of identifying elements of a series. Only one quadrant of each tile is illustrated in Fig. 16, the other three being blanked out for clarity. In tile 1601 the quadrant is divided into nine small squares as in Fig. 14. However instead of the "playing card" representation of the numbers shows in Fig. 14, tile 1601 shows the innermost small square to be marked with vertical lines. Tile 1602 has the innermost small square and the one above it filled with vertical lines to indicate it is the second element of the series denoted by vertical lines. Tile 1603 is the third such tile, and so on descending to the right in a counterclockwise spiral. The remaining tiles in Fig. 16 illustrate a counterclockwise spiral of element number indicia, with the central small square being the last to be filled as shown by the transition from tile 1604 to 1605. The improvement of Fig. 16's spiral element indicia design over Fig. 14's playing card design is that, although the playing card design has the same appearance right side up and inverted, a 180 degree rotation, there is still a difference between right side up and looking at the design from the side, a 90 degree rotation, whereas this spiral design has indicia naturally occurring vertically and horizontally, and no advantage accrues to any player based on viewing position about the board.

8529. Fig. 17 illustrates the preferred embodiment for representing series element numbers. Only one quadrant of each tile is illustrated in Fig. 17, the other three being blanked out for clarity. In tile 1701 the illustrated quadrant is divided into nine small squares as in Figs. 14 and 16. Tile 1701 shows the outermost small square to be marked with vertical lines. Tile 1702 has the outermost small square and the next one clockwise—to its right—filled with vertical lines to indicate it is the second element of the series denoted by vertical lines. Tile 1703 is the third such tile, and so on descending to the right in a clockwise spiral. The remaining tiles in Fig. 17 illustrate a clockwise spiral of element number indicia, with the center small square being the last to be filled, as shown by the transition from tile 1704 to the tile 1705. The Fig. 17's element clockwise spiral indicia scheme shares all the advantages of that of Fig. 16, while being aesthetically superior because the outer corner of every quadrant is always marked, visually balancing the tile front surface.

8530. The element indicia method illustrated in Fig. 17 permits tiles to be rotated with impunity 90 degrees or 180 degrees about their central axis where the lines separating the quadrants cross, which enables tiles to be reused elsewhere in the pattern by rotating them. This results in the minimum number of tile front surface designs required to construct

IPEA/US 19 FEB 2003
PCT/US02/13071

the specified pattern of the present invention, wherein each tile participates as an element in each of four distinct series. Fig. 18 illustrates the nine tiles of the Minimal Spanning Set that are needed to create the preferred embodiment of the present invention, using the element indicia scheme defined in Fig. 17; being the Minimal Spanning Set means that only these nine tile designs are needed, and all of these nine tile designs are needed. Tile 1801 is in fact the preferred embodiment of tile 1202, which was illustrated in alternative formats in Fig. 12 and in Fig. 15B. Any mirror image of Fig. 18 would serve equally well and might be chosen by any skilled in the art, and is hereby incorporated herewith.

8531. The game board on which the tiles are placed can be of any shape that can accommodate the playing pieces. In the preferred embodiment the game board is itself square, and is further subdivided into an 18 x 18 matrix of squares, each said small square of such size as to accommodate a single square playing tile 100. Given the nominal 2 cm square size of the tile 100, the game board is therefore 36 cm square. Fig. 19 shows a basic game board divided into said 324 squares. The 18 x 18 matrix of 324 squares is the preferred embodiment because as will become evident hereinafter, once the game board is fully played out and all the tiles are placed on the board, each row and each column of tiles on the game board is different from the others, but the 19th row would be identical to the first row, and the 19th column would be identical to the first column.

8532. Fig. 20 shows a further important refinement in the preferred embodiment of the game board, wherein the 9 spanning tiles illustrated in Fig. 18 are expanded in size by a factor of 6, creating an enlarged set of nine spanning tiles which can be concatenated together observing the aforesaid Direction Invariant, and superimposed and imprinted on the 324 squares of the game board that was illustrated in Fig. 19. This creates a game board that is a concatenated, magnified rendition of the nine playing tiles in the Minimal Spanning Set for the preferred embodiment of the present invention. The use of the indicia scheme illustrated in Fig. 18 for the surface of the game board in the preferred embodiment as shown in Fig. 20 assures that the game board has no natural top, bottom, or other intrinsic orientation, so that no advantage accrues to any player based on viewing position around the board.

8533. It may be necessary to interrupt a game and continue its play at a later time. Also when a game is completed by the occasion of a player placing his or her last tile on the game board, unused tiles will still remain in the bag and in the possession of losing players: many tiles may not have yet been placed on the board. Losing players return their remaining tiles to the opaque bag, and the game board may be set aside as is, and used as a basis for

PCT/US02/13071 3022003
starting a new game. This can be repeated through several games until any tile has been placed on the board. Therefore movement and storage of partially filled game boards are of particular importance to the present invention. Bookshelves are of insufficient depth fully to accommodate a 36 cm square game board. Many games in the prior art are not amenable to any device for facilitating the storage of partially completed game boards, primarily due to the uneven heights of playing pieces as in chess, the stacking of playing pieces as in checkers, or the instability of the playing pieces as in the Japanese board game Go. The present invention not being subject to any of these limitations, and to facilitate the manufacture, packaging, and shipping, as well as stacking, moving, and storing of partially filled game boards, and to eliminate the unsightly wrinkle caused by folding paperboard game boards and costly hinges, the preferred embodiment of the present invention incorporates a game board divided into two halves as illustrated in Fig. 21. One half partially filled with tiles can be placed on top of the other half also partially filled with tiles, and the pair lifted and set aside on a shelf until play is resumed, at which time they can be rejoined.

8534. It is also possible to construct the game board shown in Fig. 20 out of nine separate pieces as shown in Fig. 18. This permits the pieces of the game board to act as tiles for a second game board that is six times larger than the first. To clarify this design, a nominal tile size of 2 cm is used, with the understanding that other sizes could easily be chosen by one skilled in the art. For example if a game board be constructed out of nine tiles as in Fig. 18, so as to accommodate playing tiles 2 cm square within each of the 324 game board squares, with each of the said nine game board tiles being therefore 12 cm square, then these nine game board tiles could in turn be used as playing tiles on an 18 x 18 game board which is 216 cm square. This 216 cm square game board could also be constructed from nine tiles, each 72 cm square, for use on a game board 1296 cm square. This recursion could occur indefinitely, but clearly becomes physically unwieldy. However when the present invention is implemented in software instead of as physical tiles and game boards, there is no practical limit to the number of recursions possible, or the number of concurrent players, and this embodiment is hereby incorporated herewith.

8535. As indicated above the placement of any one tile in the potentially infinite plane of tiles illustrated partially in Fig. 11 determines the location of all of the remaining tiles that are cornerwise adjacent to it and to each other. Similarly a single tile placed anywhere in the potentially infinite plane of tiles shown in part in Fig. 12 determines the location of all the cornerwise adjacent tiles in that plane. It follows that fixing the location of

two tiles in Fig. 13 will determine the pattern of all the tiles on the game board, so long as they are not both cornerwise adjacent to each other nor to intervening tiles between the two of them; in other words, so long as one belongs to the set of tiles represented in Fig. 11, and the other to the set of tiles represented by Fig. 12. Although it is possible for the game to be played without permanently fixing two or more tiles to the game board to set the pattern of play, in the preferred embodiment "Anchor Tiles" are permanently fixed to the game board to initiate play and to prevent players from inadvertently creating patterns which might not, perhaps, mesh properly as the game plays out. Anchor Tiles also assure that the pattern the tiles make when played is a microscopic image of the Minimal Spanning Set pattern imprinted on the game board and illustrated for the preferred embodiment in Fig. 20. While only two such Anchor Tiles are strictly speaking required to set the entire game board pattern, for aesthetic reasons and symmetry the preferred embodiment employs a total of four Anchor Tiles as illustrated in Fig. 22. In this discussion dimensions are nominal, being mentioned only to clarify the placement of Anchor Tiles on the board. Furthermore, the elements depicted in Fig. 22 are intentionally not to scale, in order to permit viewing of sufficient detail for clarity. Tile 2201, oriented as shown in Fig. 22, which said tile is an embodiment of tile 100, and is nominally 2 cm square, is permanently fixed to the 36 cm square game board 2200 in the 2 cm square tile position 2211. Likewise 2 cm square tile 2202, oriented as shown, is permanently fixed to the 36 cm square game board 2200 in the 2 cm square tile position 2212. Similarly 2 cm square tile 2203, oriented as shown, is permanently fixed to the 36 cm square game board 2200 in the 2 cm square tile position 2213. Finally 2 cm square tile 2204, oriented as shown, is permanently fixed to the 36 cm square game board 2200 in the 2 cm square tile position 2214. The permanent fixing of Anchor Tiles to the game board using a suitable adhesive, screw, or other means normally applied by one skilled in the art has the additional benefit of providing a set of edges against which playing tiles can be aligned during game play to keep the playing pieces straight on the board. It is also commonly applied art to manufacture the game board so as to provide recesses or channels for the tiles, in order to prevent the inadvertent movement of tiles if they are touched after being placed on the board, or the board is tilted while being moved and stored. This alternative embodiment is not the preferred embodiment because of its increased manufacturing costs, but it is common in the art and is hereby incorporated herewith.

8536. Figs. 23A-23D show the fully played game board with every tile 100 with its front surface 101 facing up, in place in proper sequence in its four series. Figs. 23A - 23D

PCT/US02/13071 022003

are shown in four parts only for clarity, and joined together form the fully played game board. Fig. 23B should be placed below Fig. 23A such that tile 2311 is adjacent to tile 2301. Fig. 23C should be placed to the right of Fig. 23A such that tile 2312 is adjacent to tile 2302. Fig. 23D should be placed below Fig. 23C such that tile 2314 is adjacent to tile 2304, and to the right of Fig. 23B so tile 2313 is adjacent to tile 2303. Once these concatenations have been applied, the concepts "below" and "right" just used to direct said concatenations should be abandoned, as the tiles played on the game board, like the game board itself, have no intrinsic orientation. As an additional aid to understanding Fig. 23A shows the Anchor Tile 2201 in its proper position, Fig. 23B shows the Anchor Tile 2203 in its proper position, Fig. 23C shows the Anchor Tile 2202 in its proper position, and Fig. 23D shows the Anchor Tile 2204 in its proper position. Figs. 23A through 23D therefore together illustrate the completed pattern of playing tiles of the preferred embodiment of the present invention, which said pattern would emerge onto the game board after several games had been played to completion, with each said game after the first game using the ending position of the previous game as its starting point.

8537. The board game thus far described is suitable for use as an educational aid to help young children practice counting, and also as a tutorial mode of the present invention to aid those first encountering the present invention to master the proper placement of tiles into series. However since there are only 9 tiles in the Minimal Spanning Set, and 320 possible squares on the game board, there are approximately 35 places for each tile on the game board. Once the placing of tiles into series has been mastered, this large number of possible places for each tile results in a game that is too easy to play. This problem is resolved by imprinting the image on the game board in Fig. 20 onto the back surface 102 of the playing tiles in Figs. 23A-23D. This places a distinct pattern or solid color on the back surface 102 of each tile, which is then used to further restrict the placement of tiles on the board during game play. Thus the pattern or color on the back surface 102 of the tile 100 must match the pattern or color of the square onto which it is placed on the game board in Fig. 20, in addition to its being in proper sequence in its four series according to the pattern on its front surface 101. This requirement renders finding a correct location on the game board for a tile more complex, and creates thereby a more challenging game. During tutorial play while players are learning to play the game they simply ignore the color or pattern on the back of the tile when placing the tile on the board, focusing only on the placement of the tile in proper series.

8538. The fully implemented preferred embodiment of the present invention is readily manufactured by the following process. Fig. 24 shows the horizontally reflected mirror image of the game board illustrated in Fig. 20. There is one square in Fig. 24 for each tile in Figs. 23A – 23D. The process for completing construction of the game tiles is as follows. The playing tiles 100 of Figs. 23A – 23D with their front surfaces 101 facing up as shown in Figs. 23A – 23D are concatenated together as described above, and then the tiles are turned over together by rotating the entire plane of the tiles to the right 180 degrees about the axis 2350 extending vertically through the rightmost sides of Figs 23C and 23D. The pattern illustrated in Fig. 24 is then affixed to the back surfaces 102 of the tiles 100, which said back surfaces by the rotational process just described are now facing up. As a result the tile 2321 receives on its back the vertical patterned square 2421, the tile 2322 receives on its back the dot pattern of square 2422, the tile 2323 receives on its back the boxes pattern of square 2423, and the tile 2324 receives on its back the lateral patterned square 2424.

8539. In an alternative embodiment the pattern or color affixed to the back surface 102 of the tile 100 is also or instead imprinted on the sides of the tile 103, 104, 105, and 106, enabling the identification of the proper placement for the tile without having to turn the tile over. In the case where the color or pattern on the back surface is also to appear on the sides, the manufacture of the tile can be simplified by imprinting the front surface 101 onto a solid plastic tile 100 made from the color or pattern of plastic which would be used to mark the back surface 102 with the color or pattern of the game board square as just described; since the color or pattern of said plastic tile is then itself the color of the back surface, the tile sides 103, 104, 105, and 106 will automatically receive the color or pattern of the back surface of the tile.

8540. It has been noted that the nine unique tile front surfaces illustrated in Fig. 18 suffice and are necessary to complete the full pattern of tiles exhibited in Figs. 23A – 23D. When combined with the patterning or coloring of the back surface 102, each of the 9 unique tile front surfaces in the Minimal Spanning Set can potentially be matched with each of the four patterns or colors used to denote each of the four series, as well as with a fifth pattern or color used to denote a clear board square with no marking on it such as square 2001 shown in Fig. 20. This combination of nine unique tile front surfaces with five unique tile back surfaces gives rise to forty-five possible unique tiles. Table I shows the number of each of these forty-five unique tiles that are present when the tile front surfaces 101 are designed as in Fig. 18 and the game board is designed as in Fig. 20. The tile front surfaces are identified

PCT/US02/13071

in Table I in the leftmost column by indicating the number of small squares with lateral lines that appear on the tile front surfaces as depicted in Fig. 18. The tile backs are identified at the top of the second through sixth columns by the pattern marking the back surface of the tile. In the rightmost column the total number of each type of tile is noted. In the final row the total number of each type of tile is noted.

8541. Table I will assist in the rapid construction of the appropriate number of tiles in the preferred embodiment. This table also summarizes the number of the 324 game board squares each of the 45 unique tiles can occupy. For example a tile with 4 small squares marked with lateral lines on the front surface and with its back surface marked with vertical lines, can occupy any of 6 different locations on the game board of Fig. 20.

Table I

Number of Small Squares With Lateral Lines on Tile Front Surface	Back is Marked With Lateral Lines	Back is Marked With Vertical Lines	Back is Marked With Boxes	Back is Marked With Dots	Back is Not Marked	Total Number of Tiles
1	7	6	2	2	19	36
2	3	1	10	8	14	36
3	5	7	4	7	13	36
4	7	6	2	1	20	36
5	1	3	9	6	17	36
6	8	5	5	6	12	36
7	6	8	2	1	19	36
8	3	3	7	8	15	36
9	5	6	4	6	15	36
Total Number of Tiles	45	45	45	45	144	324

8542. A number of variations of rules might be adopted by one skilled in the art to suit the present invention. However an exemplary set of rules is listed here to complete the description of the preferred embodiment of the present invention, said rules best fulfilling the stated objectives for the present invention.

- a. Each player ~~blindly~~ takes nine tiles from the bag, placing ~~them~~ face up and keeping the back surfaces hidden from the other players. As there are initially 320 tiles in the bag, there may be from one to thirty-five players in a game.
- b. All players start at the same time, and continue placing tiles on the board as described in the next rule. A player can join a game in progress by starting with one more than the largest number of tiles held by any other player at the time that they start.
- c. A tile must be placed in series, touching at least one tile already on the board. Starting in the middle of a series and touching a corner or a side are okay. (In an alternative embodiment, the requirement to touch a tile already on the board can be ignored as long as the tile is placed properly in the series that results when the gaps are eventually filled in.) The solid color on the tile back must match the color of the square where it is placed, but this requirement is suspended during tutorial play.
- d. If a player cannot place a tile on the board, they blindly add a tile to their pile from the bag.
- e. If a player gets stuck with a tile they can't place, they may return it to the bag and blindly take three tiles in exchange.
- f. If a player is caught placing a tile in the wrong place, they must return the tile to their pile, and take three more tiles from the bag. Incorrectly placed tiles whose player(s) cannot be identified are removed from the board and returned to the tile bag.
- g. The first player who runs out of tiles wins. In a solitaire game, the goal is to run out placing the fewest tiles.

8543. The preferred embodiment of the present invention with the exemplary rules just presented meets all of the objectives desired, excepting accessibility to blind people. To meet this objective it is required to manufacture the board with square recesses for the tiles, so that played tiles can be touched without moving them, a practice mentioned above as well known in the prior art. The requirement to emboss the front surface of the tile with element indicia that indicate in which series each quadrant participates has been discussed above. Thus in the game manufactured for play by the blind, each of the four series has a unique

graphic which identifies it and unique graphic having no intrinsic orientation as previously discussed. A game intended for the blind would still incorporate the pattern or color scheme used by the sighted, so that both blind and sighted players could play together. In addition to receiving the pattern or color on the back surface of the tile corresponding to the pattern or color of the game board square on which the tile can be placed, the back surface of the tile must be embossed with an enlarged version of the symbol or graphic used to represent the series of which the back surface of the tile is a member by pattern or color, unless it is not a member of a series, in which case it is left smooth. And finally the game board squares would, in addition to being patterned or colored as in Fig. 20, would be recessed to receive the embossed figure used to represent the series and imprinted on the back surface of the tile, unless they were unmarked squares, in which case they would remain smooth.

9000. Claims

9020. We claim:

9021. 1. A game consisting of a plurality of playing pieces, each said piece being simultaneously an element of an even number of at least four distinct series, each said series being comprised of the numbers 1 to 9, with each said series being extended by following the 9th element with the element 1, then 2, and so on repeatedly; and

wherein the four or more series on each piece are grouped into series pairs, with the elements of each series pair totaling the number nine on each playing piece, except in the case where all the four series elements on a piece are the element 9.

9022. 2. The game of claim 1 wherein the front surface of the playing pieces are divided into possibly separable sections, one for each distinct series of which the playing piece is a member, each said section bearing a unique marking associated with and identifying the series of which it is a member, each said section being further marked with an indicium representing the element of the series of which the section is a member.

9023. 3. The game of claim 2 wherein the playing pieces are square tiles.

9024. 4. The game of claim 2 in which the indicia representing the elements of the series of which each quadrant is a member are represented by numbers.

9025. 5. The game of claim 2 wherein the playing pieces are square or hexagonal tiles; and

wherein the sections covering the front surface of the tile are possibly separable isosceles triangles.

9026. 6. The game of claim 5 wherein each of the isosceles triangle sections covering the front surface of the tile is subdivided into 9 equal-sized smaller isosceles triangles which fill the section, of which said 9 triangles any side adjacent triangles being inverted, all 9 being arranged in a pattern of 5 side adjacent triangles with the hypotenuse of the center triangle coincident with the outer border of the tile, next to which are 3 side adjacent triangles with the isosceles vertex of the central triangle coincident with the isosceles vertex of the central triangle of the first 5 triangles, next to which is one triangle whose hypotenuse is coincident with the hypotenuse of the central triangle of said 3 triangles, and whose isosceles vertex is coincident with the center of the tile.

9027. 7. The game of claim 5 wherein each isosceles triangle section covering the surface of the tile contains from one to nine geometric or schematic indicia indicating the

PCT/US02/13071 022003
 element of the series of which the quadrant is a member, arranged in stacked rows of five, three, and one indicia, said row of five indicia being located to the outside of the tile, the row of one indicium being located in the isosceles vertex of the triangle, and the row of three indicia being located between the row of five indicia and the row of one indicium.

9028. 8. The game of claim 7 wherein the schematic indicia are embossed on the front surface of the tile.

9029. 9. The game of claim 3 wherein the sections covering the front surface of the tile are possibly separable squares, and where the game is played on a game board.

9030. 10. The board game of claim 9 in which the indicia representing the elements of the series of which each quadrant is a member are comprised of a set of schematics with no intrinsic orientation embossed on the front surface of the tile to enable the element number and the series of which it is a member to be accessible to the blind.

9031. 11. The board game of claim 9 in which the indicia representing the elements of the series of which each quadrant is a member are represented by a pattern of geometric, schematic, or other shapes, one such shape for each quadrant, arranged as the numbers on ordinary playing cards Ace through 9.

9032. 12. The board game of claim 9 in which the indicia representing the elements of the series of which each quadrant is a member are a set of nine small squares in a three by three pattern, the number of said small squares marked with a distinct pattern or color indicating the element of the series of which the quadrant is a member and identifying said series, said nine squares being arranged such that the first marked square is placed on either the innermost or outermost square in a quadrant, and as subsequent squares are added to increase the element count in a quadrant, they are added side adjacent to the previous squares in a clockwise or a counter-clockwise spiral, said board game:

wherein a minimal set of nine distinct playing tile front surface patterns form a minimal spanning set which when replicated are sufficient to fill the entire game board with tiles; and

wherein the game board is a square; and

wherein the game board is marked into squares the size of the square playing pieces.

9033. 13. The game board of claim 12 wherein the game board is divided into two equal-sized rectangular halves to aid in manufacturing, packaging, and shipping, as well as stacking, moving, and storing games in progress, such halves being placed side adjacent for game play.

9034. 14. The game board of claim 12 wherein the game board is comprised of an 18 by 18 matrix of 324 squares.

9035. 15. The game board of claim 12 in which two or more Anchor Tiles are permanently affixed to the board to set the pattern for game players and to prevent the evolution of nonintersecting series during game play.

9036. 16. The game board of claim 12 in which four Anchor Tiles are permanently affixed to the board to set the pattern for game players, to prevent the evolution of nonintersecting series during game play, and to retain the aesthetic symmetry of the game board.

9037. 17. The board game of claim 12 in which the image imprinted on the game board surface is an enlargement of an image created by a minimal spanning set of the playing pieces.

9038. 18. The board game of claim 17 in which the game board is divided into the nine equal-sized pieces identical to but an enlargement of the nine minimal spanning set of playing pieces, thereby enabling the use of said nine game board pieces as playing pieces on a similarly marked, larger game board.

9039. 19. The board game of claim 17 in which the back surface, or the sides, or both the back surface and the sides of the playing pieces are imprinted with the mirror image of the image on the game board, such that a legal placement of a playing piece on the game board entails matching the image on the back surface, or the sides, or both the back surface and the sides of the playing piece with the image in the corresponding location on the game board onto which the playing piece is being placed.

9040. 20. The board game of claim 19 wherein a schematic representing the series corresponding to the pattern or color on the back surface and/or sides of each tile is embossed on the back surface of the tile, and the squares on the game board having like pattern or color are recessed to receive said schematic, thus rendering the game accessible to the blind.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☒ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.